

# Polished 410 420 409 304 Stainless Coil AISI Standard For Industry **Elevator**

### **Basic Information**

. Place of Origin: china Brand Name: ShengQuan

· Certification: ISO9001:2000

201/304/304L/316/316L/321/309/310/32750/32760/90 Model Number:

• Minimum Order Quantity:

• Price: USD1500-USD6000

· Packaging Details: Standard Export Sea-Worthy Packing

• Delivery Time: 5-15days

Payment Terms: L/C, T/T, Western Union

. Supply Ability: 15000Tons



## **Product Specification**

· Width: Or As Required

Standard: ASTM, JIS, AISI, EN, GB . Length: Customer's Request

201/202/304 · Grade:

/304L/316/316L321/310s/410/420/430/440/43

. Thickness: 0.3mm-120mm, 0.18-1.5mm, 0.2-60mm, 0.45-

5mm,0.01-200mm

• Material: 200 Series/300 Series/400series

BA,2B,HL,2D,No.4 · Surface:

201 304 410 Stainless Steel Strip / Stainless • Product Name:

Steel Coil 201 304 410, price List Hr Sus304

304 Stainless Steel Coil

• Highlight: Polished 304 stainless coil,

AISI 304 stainless coil,

Polished 409 stainless steel coil



### **Product Description**

## Industry Elevator AISI Polished Stainless Steel Coil 410 420 SS 430 coil

Stainless steel coils uses applications like high corrosion resistance but also lightweight in automotive sectors. According to statistics, a car requires 10 to 30 kilogrammes of stainless steel coils, while an American car requires 40 kilogrammes. Structural components used in vehicles by certain auto makers uses stainless steel coils majorly. Furthermore, the usage of stainless steel coils in buses, high-speed railroads, subways, and other transportation systems is becoming increasingly widespread.

### **Product category**

Hot Rolled Stainless Steel Coil/Sheet	
Steel Grade	301, 304, 304L, 316, 316L, 316Ti, 410S, 410, 405, 430
Standard	ASTM A240/A240M, ASIffi SA-240, SA-24OM, JIS G 4304, EN 10028-7, EN 10088-2
Thickness( mm)	3. 0-14. 0
Width(mm)	1000-2000
Length(mm )	Sheet:≤6000; Coil
Status	Solid Solution and Pickling; Annealing and Pickling

Cold Rolled Stainless Steel Coil/Sheet	
Steel	301, 304, 304L, 316, 316L, 316Ti, 321, 410S, 409, 409L,410, 420,
Grade	410S, 430, etc.
Standard	ASTM A240/A240M, ASME SA-240/SA-240M, JIS G 4305, EN10028-7, EN10088-2
Thickness( mm)	0.3-3.0
Width(mm)	1000-1219
Length(mm)	1000-2438 or Coil
Status	Solid Solution and Pickling; Annealing and Pickling





#### 1. Who are we?

We are based in wuxi, China, start from 2021,sell to Mid East(35.00%),South America(20.00%),Southeast Asia(20.00%),Africa(5.00%),Eastern Asia(5.00%),Northern Europe(5.00%),Southern Europe(5.00%),South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

- 3. What can you buy from us? steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel
- 4. Why should you buy from us not from other suppliers? Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.
- 5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency:USD,EUR,CNY; Accepted Payment Type: T/T,L/C,Credit Card,Weste









Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City