Wuxi Shengquan Metal Products Co., Ltd. metalsstainless-steel.com

Capillary Lnconel Stainless Steel Metal Tube 718 601 625 Nickel Alloy

Basic Information

• Place of Origin: china

Brand Name: ShengQuanCertification: ISO9001:2000

• Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90

• Minimum Order Quantity: 1ton

• Price: USD1500-USD6000

Packaging Details: Standard Export Sea-Worthy Packing

• Delivery Time: 5-15days

Payment Terms:
 L/C, T/T, Western Union

Supply Ability: 15000Tons



Product Specification

Application: Construction, Kitchenware, Decoration, chemical construction, Constr

• Width: Or As Required

• Type: Plate, Coil, stainless Steel Sheet

Standard: ASTM,JIS,AISI,EN,GBLength: Customer's Request

• Grade: 201/202/304

/304L/316/316L321/310s/410/420/430/440/43

Product Name: ASTM JIS SUS 201 202 301 304 304I 316

316I 310Stainless Steel Sheet

• Certification: ISO,SGS,Other

• Highlight: Inconel Stainless Steel Metal Tube,

Capillary Stainless Steel Metal Tube, Nickel Alloy stainless steel capillary tube



ASTM Stainless Steel Capillary Tube Inconel 718 601 625 Nickel Alloy Tube Monel K500 32750 Incoloy 825 800ht

Cold Drawing

In some circumstances, the appropriate size may not be available directly from the mill. The cold operation procedure can then be employed to get the appropriate size. The tubes or pipes are covered with soap and oxalic solution during the cold drawing process. This solution provides lubrication, reducing friction during the cold drawing process. The tube or pipe is dragged over the bench utilizing Die plugs during the cold drawing operation.

Chemical Properties of Frequently-used Stainless Steel Material Grade UNS ASTM EN JIS C% Mn% P% S% Si Cr% Ni% Mo %											
UNS	ASTM		JIS		Mn%	Ρ%	5%	%	Cr%	Ni%	%
S201	201	1.437	SUS20	≤0.15	5.5-	≤0.0			16.0-	3.5-	_
00		2	1	_0.15		6		00	18.0	5.5	
S202	202	1.437	SUS20	≤0.15	7.5-	≤0.0		≤1.	17.0-	4.0-	
00	I	3	2	l	10.0	6	03	00	19.0	6.0	
S301	301	1.431	SUS30	<0.15	≤2.00	≤0.0		≤1.	16.0-	6.0-	
00	501				2.00	45	03	00	18.0	8.0	
S304	304	1.430	SUS30	<0.08	≤2.00	≤0.0	≤0.	≤0.	18.0-	8.0-	
00	304	1	4	20.00	2.00	45	03	75	20.0	10.5	[
S304	304L	1.430	SUS30	≤0.03	≤2.00	≤0.0	≤0.	≤0.	18.0-	8.0-	
03		6	 41	l	2.00	45	03	75	20.0	12.0	[
S309	309S	1.483	SUS30	-0.00	≤2.00	≤0.0	≤0.	≤0.	22.0-	12.0-	
80	3093	3	9S	≥0.06	≥2.00	45	03	75	24.0	15.0	-
S310	310S	1.484	SUS31	<0.00	-0.00	≤0.0	≤0.	≤1.	24.0-	19.0-	
08	3105	5	0S	≤0.08	≤2.00	45	03	50	26.0	22.0	
S316	010	1.440	SUS31	i e		< 0.0	≤0.	≤0.	16.0-	10.0-	2.0-
00	316	1	6	≤0.08	≤2.00	45	03	75	18.0	14.0	3.0
S316	316L	1.440 4	SUS31 6L	≤0.03	≤2.00	≤0.0	≤0.	≤0.	16.0-	10.0-	2.0-
03						45	03	75	18.0	14.0	3.0
S317	317L	Q	SUS31	≤0.03	≤2.00	≤0.0		≤0.	18.0-	11.0-	3.0-
03			71			45	03	75	20.0	15.0	4.0
S321		1.454 1	SUS32	≤0.08	≤2.00	≤0.0	≤0.	≤0.	17.0-	9.0- 12.0	-
00	321		1			45	03	75	19.0		
S347		1.455	SUS34			< 0.0	≤0.	≤0.	17.0-	9.0-	\top
00	347	0	7	≤0.08	≤2.00	45	03	75	19.0	13.0	-
S405	405	1.400 2	SUS40 5 ≤0		≤1.00	≤0.0 4		≤1. 00	11.5-		
00				≤0.08						≤0.60	-
S409	409	2	SUS40	≤0.08	≦1.00	≤0.0		00	10.5-	≤0.50	_
00			19 1			45	03		11.75		
S430	430	1.401	SUS43	<0.12	≤1.00	≤0.0		≤0.	16.0-	≤0.60	
00	750	6	0	20.12			03	75	18.0	20.00	
S434	434	1.411 3	SUS43 4	≤0.12	≤1.00	≤0.0	≤0.	≤1.	16.0-		
00	434					40	03	00	18.0		[
S444	444		SI 1S44			< 0.0	≤0.	≤1.	17.5-	1 00	
00	444	1	4L	≤0.025	≥1.00	45	03	00	19.5	≤1.00	-
S403	400		SUS40	US40 ≤0.15	5.5-	≤0.0	0.0 ≤0. ≤0. 11.	11.5-	<0.60		
00	403	_	3	<u>≥</u> 0.15	7.5	4	03	50	13.0	≤0.60	[
S410	440	1.400	SI 1S/11	-0.15		≤0.0	≤0.	≤1.	11.5-	-0.00	≤1.0
000	410	ne	h	≤0.15	≤1.00	35		00	13.5	≤0.60	0
S420	400	1.402	SUS42	0.16~0		≤0.0			12.0-	10.75	≤1.0
00	420	1	0J1	.25	≤1.00	4		00	14.0	≤0.75	0
S440	440A	1.402	SUS44	0.60~0	.4 5 -	≤0.0			16.0-		≤0.7
	14401				∠1 ∩∩		r	r- · ·	1	1	,,

S327	SAD2	1.441		-0 00			≤0.	≤0.	24.0-	6.0-	3.0-
50	507	0		≤0.03	≤1.2	35	02	80	26.0	8.0	5.0
S318	SAF2	1.446		-0.02	-2 N	≤0.0	≤0.	≤1.	21.0-	4.0-	2.5-
03	205	2		≤0.03	≤2.0	3	02	00	23.0	6.5	3.5
N089	904L	1.453		≤0.0.3	ヒンハ	≤0.0	≤0.	≤1.	18.0-	23.0-	3.0-
04		9				35	03	00	20.0	25.0	4.0





Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment;

3. What can you buy from us?

steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel

4. Why should you buy from us not from other suppliers? Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency:USD,EUR,CNY;

Accepted Payment Type: T/T,L/C,Credit Card,Weste



15370898866

523639146@qq.com



e metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City